



# St George's

## C of E Primary School & Nursery

*'Everyone Matters, Everyone Achieves'*

Headteacher: Mrs. S. Sixsmith

London Road  
St Georges  
Telford  
Shropshire  
TF2 9LJ

Tel: 01952 387750

E-mail: [admin@stgeorgesschool.org.uk](mailto:admin@stgeorgesschool.org.uk)

Website: <http://www.stgeorgesschool.org.uk>

5.5.22

Dear Parents/Carers of children in Reception,

This letter is to advise you that we have cases of diarrhoea and vomiting in reception and are liaising with the Health Protection Hub and taking measures to control it. From the information we currently have we believe that it is a viral illness such as Norovirus (otherwise known as the winter vomiting bug).

Below is some information on Norovirus and what you can do to reduce the spread of the infection:

### ***What are the symptoms?***

Diarrhoea and vomiting usually lasting 1-2 days

### ***What should you do if your child is unwell?***

Make sure they get lots of rest.

Ensure they drink plenty of fluids, taking sips rather than gulps to avoid vomiting.

Give infant Paracetamol or Ibuprofen, according to product instructions, to help keep their temperature down.

If your child is unusually sleepy, will not take fluids or has other symptoms, such as blood in their diarrhoea, an unusual rash, headache, neck stiffness or difficulty breathing, ring NHS Direct (0845 4647), contact your GP or take your child to hospital.

If any siblings are unwell, please contact their nursery/ school and let them know that your child is ill and what symptoms they have.

Keep them at home until they are well enough to return to school. However, if your child has been suffering from diarrhoea and vomiting keep them at home until they have been free of symptoms for 48 hours.

If you have LFD (test kits) at home test your child for COVID-19 and let the school know the result if possible so they can potentially exclude it as the cause.

### ***How can you prevent the spread of these infection?***

Hand washing is one of the most important ways to prevent the spread of both of these infections. This applies to the child who is ill and the person looking after them. Hands should always be washed, using liquid soap if possible: Before and after caring for your child, after using the toilet, before eating or handling food, after cleaning up a mess (vomit, faeces or urine). Other ways of preventing the spread of infection are to:

Keep a separate towel for family members who have symptoms.

Dispose promptly of used tissues and other items that your child may have coughed or sneezed on.

Wash soiled clothing, bed linen and towels in a washing machine. Use the hottest wash for that fabric.

Clean baths and washbasins thoroughly and disinfect after use.

If cleaning up diarrhoea or vomit, wash the surface with hot soapy water and disinfect before allowing to dry. If using bleach remember that it can remove the colour from fabrics and can burn the skin.

Keep your child away from other children and people that are particularly vulnerable, e.g. the elderly and those with chronic illnesses.



2021-2024

Yours sincerely,

*Sally Sixsmith*

Mrs Sally Sixsmith  
Head Teacher